

CORDOVA

ULTRA



CORDOVA

ULTRA



Cordova is an iconic name in commercial upholstery. Designed in Australia for Australian conditions, Cordova has been the benchmark since the 1970's and has a proven history of performance.

Cordova Ultra is the next generation in vinyl upholstery. Based on the heritage and core performance attributes of its predecessor, Cordova Ultra is manufactured in a state of the art facility utilising cutting edge technology. This provides inspiration and a breath of fresh air for commercial applications.

FEATURES & BENEFITS



Protective finish for easy maintenance

PermaShield® PLUS

The new PermaShield PLUS® coating takes the protection and care of upholstery fabrics to a new level. Not only will it protect the upholstery surface in harsh environments, it now offers the unique 'anti-graffiti' finish which allows most stubborn stains and graffiti to be removed with minimal effort.



State of the Art Construction

Cordova Ultra has a unique combination of resilience when used in a harsh commercial environment, yet soft enough to enhance comfort and a stylish finish.



Ag SilverGuard™
SILVER ION TECHNOLOGY

Protection

Cordova Ultra is protected with the exclusive SilverGuard™ finish to provide a fresh, hygienic surface for commercial upholstery. Based on Silver Ion technology, this highly effective system controls a wide range of odours, stains and bacteria creating a fresh environment.



Abrasion resistance

Cordova Ultra exceeds the heavy duty commercial requirements for the Australian Standard - Textiles for Commercial Upholstery and the Commercial Textile Association of Australia. Wyzenbeck AS2001.2.30: 100,000+ cycles, Martindale AS2001.2.25: 40,000+ cycles



Fire Retardant

Cordova Ultra complies with the Building Code of Australia requirements for all commercial areas. AS1530.3: Ignitability 17, Spread of Flame 0, Heat Evolved 0, Smoke Developed 5



UV stabilised

Cordova Ultra is developed to withstand the harsh Australian elements and can be used in outdoor applications.

ISO 105-B02-1994 Xenon Arc: Colourfastness to Light 6-7



Nolan Group 3 year commercial warranty

PRODUCT DETAILS

Roll Length	30m
Roll Width	1370mm
Thickness	1.00mm
Weight	680g/m2




White




Bone




Muslin




Sand




Brown Sugar




Dark Roast




Coffee




Owl




Mustard




Cloud




Soot




Dove




Zest




Merlot




Black




Charcoal




Crimson




Aubergine




Lawn




Turquoise



Calypso




Delft Blue




Cobalt

Mustard



The information provided represents the results sourced from an independent third party testing authority. Tolerances may vary up to 10%. All information was current and accurate at the time of printing. For all available colours please refer to your sample books. Colours are for representation only. Please see product sample card for colour reference.



CARE & MAINTENANCE GUIDE

Cordova Ultra has been designed to provide years of service with an easy care and maintenance schedule. Following this Care & Maintenance guide regularly will enhance the life expectancy and help maintain the fabric's original appearance.

General Cleaning – Regularly clean fabric with a solution of mild soap and water using a soft cloth or towel. Rinse thoroughly with fresh water and wipe dry.

Spot Cleaning – Spills and general marking are inevitable in a commercial environment. Prompt attention to the affected area will minimise the chance of staining or fabric degradation. If a stain cannot be cleaned using the general cleaning instructions, clean the affected area with methylated spirits. Rinse thoroughly with fresh water and wipe dry.

Disinfection – In some commercial environments such as healthcare, it is necessary to disinfect the upholstery surface. When required, clean the fabric using the general cleaning instructions then using a solution of 10% bleach and 90% water, wipe the surface for a second time. Rinse thoroughly with fresh water and wipe dry. Constant cleaning using this method may affect the fabric's life expectancy.

NOTE

- Do not use abrasive cloths or cleaners
- Do not use aggressive cleaners or chemicals
- Do not use vinyl conditioners such as ArmorAll®
- When in doubt contact your local Nolan Group branch for further advice



Nolan Group
Your Textile Partner For Success

1300 35 75 85

Nolans.com.au

SYDNEY

3 Bradford Street, Alexandria

NEWCASTLE

16 Ironbark Close, Warabrook

BRISBANE

14 Lions Park Drive, Yatala

MELBOURNE

7 Conifer Crescent, Dingley Village

ADELAIDE

489 Cross Keys Road, Cavan

PERTH

22 Hazelhurst Street, Kewdale