

SENSATION WOVEN

comfort, style and elegance

screens

panels

workstations


pinboards

WORKSPACE FIT OUT FABRIC

rim
FABRICS
design • technology • sustainability

A Division of

innova
BETTER TEXTILE SOLUTIONS




Ice 909




Gunmetal 906



Basalt 907



Tar 927




Sleet 903




Stormy 904



Straw 921



Kaffir Lime 924



Pampas 922




Moss 923




Pine 936



Spruce 912




Pistachio 911




Sea Green 933




Jade 935



Peacock 932



Sky 930



Cerulean 929



Prussian 931



Bluestone 910




Denim 902



Deep Ocean 943




French Navy 914




Arctic 934



Buttercup 941



Amber 939




Tiger 942



Berry 920




Merlot 926




Lilac 937



Corten 918




Sepia 938



Eggplant 908



Ashwood 905



Linen 901




Pebble 913

SENSATION WOVEN

comfort, style and elegance

Our Sensation Woven range is a luxurious addition to the Rim Fabrics stable. Suitable for workstation, screen, partition, divider, and vertical surfaces, Sensation Woven features a textured, corduroy look, with velvet overtones. The inherent fabric quality of Sensation shines through by simply indulging in its touch. The feeler piece below tells the story.

With a beautifully crafted palette of 36 designer chosen colours available ex-stock, workspaces will embrace the feeling of Sensation.



Deep Ocean 943

SENSATION WOVEN

Designed specifically for workstations / screens / panels / partitions and pinboard applications.

Affordable luxury for any office / commercial interior environment.

For a stunning visual effect encompassing comfort, style and elegance, look no further than Sensation Woven.

Specifications

Product	Sensation Woven		
Composition	100% Polyester		
Weight	280 gsm		
Roll Width	188 cm (nominal)		
Roll Length	50 metres (nominal)		
Availability	All 36 colours in stock for immediate delivery. Special widths and colours available on a project basis.		
Certification	Manufactured to OEKO-TEX Standard 100		
Flammability	AS 1530 Pt.3 1999		
	Ignitability Index	9	Range 0 – 20
	Spread of Flame Index	0	Range 0 – 10
	Heat Evolved Index	1	Range 0 – 10
	Smoke Developed Index	5	Range 0 – 10
AS 5637.1-2015 Group 1			

Note: colours may vary from batch to batch.

